

Steinsorte und Formate	Steinmaße [mm]			Stein- gew. ca. kg	Nenn- festigk. N/mm <sup>2</sup>	Roh- dichten kg/dm <sup>3</sup>	Anzahl Steine im Paket gebündelt	Steine je m <sup>2</sup>	Steine je m <sup>3</sup>	Pakete je Lkw	frei Baustelle [€ / 1.000 Stück]			
	Länge	Breite	Höhe								(Wandstärke)	Liefergeb. I	Liefergeb. II	Liefergeb. III
<b>KS - Kleinformate</b>														
KS DF	240	115	52	2,6	20	2,0	284	64	557	28	210,64	226,36	337,45	
KS NF	240	115	71	3,5	20	2,0	256	48	418	23	256,76	277,72	338,50	
KSL 2 DF	240	115	113	4,5	12	1,6	180	32	279	25	294,48	325,92	376,23	
KS 2 DF				5,2	12	1,8	180	32	279	22	300,77	333,26	386,71	
KS 2 DF				5,2	20	1,8	180	32	279	22	358,41	388,80	546,00	
KS 2 DF				5,8	20	2,0	180	32	279	20	358,41	388,80	546,00	
KS 2 DF				5,9	28	1,8	180	32	279	19	361,56	393,00	574,30	
KSL 3 DF				6,6	12	1,6	108	32	183	29	448,54	496,75	572,20	
KS 3 DF	240	175	113	7,9	12	1,8	108	32	183	24	457,97	506,18	588,97	
KS 3 DF				7,9	20	1,8	108	32	183	24	544,96	592,12	832,11	
KS 3 DF				8,8	28	1,8	108	32	183	22	550,20	598,40	874,03	

**KS - Plansteine mit Nut + Feder + Griffhilfe**

KSL-R(P) 4DF	248	115	248	9,7	12	1,6	80	16	140	27	755,60	818,48	988,26
KS R(P) 4DF				11,4	12	1,8	80	16	140	23	772,37	834,20	1.043,80
KS R(P) 4DF				13,5	20	2,0	80	16	140	19	784,95	847,83	1.187,38
KSL-R(P) 8DF	498	115	248	19,0	12	1,6	40	8	70	27	1.516,45	1.642,21	1.894,78
KS R(P) 8DF				22,5	12	1,8	40	8	70	23	1.551,04	1.677,84	1.995,39
KS R(P) 5DF	248	150	248	17,6	20	2,0	64	16	107	18	1.027,04	1.109,83	1.554,18
KSL-R(P) 6DF	248	175	248	13,5	12	1,4	48	16	92	32	1.148,60	1.243,97	1.503,88
KSL-R(P) 6DF				14,8	12	1,6	48	16	92	29	1.148,60	1.243,97	1.503,88
KS R(P) 6DF				17,5	12	1,8	48	16	92	25	1.174,80	1.270,17	1.588,76
KS R(P) 6DF				20,5	20	2,0	48	16	92	21	1.194,72	1.290,08	1.807,80
KS R(P) 7DF	248	200	248	23,0	20	2,0	48	16	80	19	1.372,88	1.482,92	2.078,18
KSL-R(P) 8DF	248	240	248	18,5	12	1,4	48	16	67	23	1.576,19	1.708,24	2.063,51
KS R(P) 8DF				24,0	12	1,8	48	16	67	18	1.612,87	1.743,87	2.180,88
KS R(P) 8DF				28,0	20	2,0	48	16	67	15	1.639,07	1.771,12	2.480,61
KSL-R(P) 10DF	248	300	248	23,0	12	1,4	32	16	54	28	1.955,56	2.119,05	2.560,26
KS R(P) 10DF				30,0	12	1,8	32	16	54	21	2.000,63	2.164,12	2.704,88
KS R(P) 10DF				35,0	20	2,0	32	16	54	18	2.034,16	2.196,60	3.077,97
KSL-R(P) 12DF	248	365	248	28,2	12	1,4	32	16	46	23	2.296,16	2.486,90	3.005,66
KS R(P) 12DF				35,5	12	1,8	32	16	46	18	2.348,56	2.539,30	3.175,44
KS R(P) 12DF				42,8	20	2,0	32	16	46	15	2.387,34	2.579,12	3.613,50

Wandstärke [mm]	Format	Sturzhöhe [mm]	Gewicht ca. [kg/lfdm]	frei Baustelle [EUR / lfdm]
--------------------	--------	-------------------	--------------------------	--------------------------------

**KS - Flachstürze als Beiladung**

115	NF (115)	71	17,0	4,40
115	2 DF	113	26,1	6,70
175	NF (175)	71	25,5	6,81
175	3 DF	113	38,4	8,54
150	5 DF EURO	113	33,0	12,47
200	7 DF EURO	113	44,0	14,61

Längen [m] : 1,00 / 1,25 / 1,50 / 1,75 / 2,00 / 2,25 / 2,50 / 2,75 / 3,00

Wandstärke [mm]	Abmessungen [mm]			Gewicht ca. [kg]	frei Baustelle [EUR / 1.000 Stück]
	Länge	Breite	Höhe		

**KS - U-Schalen als Beiladung**

115	240	115	238	7,6	1.868,58
150	240	150	238	10,0	2.165,16
175	240	175	238	11,7	1.946,13
200	240	200	238	13,0	2.764,62
240	240	240	238	15,8	2.229,09
300	240	300	238	19,9	3.139,80
365	240	365	238	24,0	4.929,79

**KS - Bauplatte mit Nut und Feder**

KS P7	498	70	248	17,0	1.820,37
-------	-----	----	-----	------	----------

\* = Stückzahl je Paket kann variieren (auf Anfrage)

**ausschließlich als Beiladung**

Wandstärke [mm]	ca. kg je Paket	Stück je Paket	lfdm je Paket	Preis FB EUR / lfdm
--------------------	--------------------	-------------------	------------------	------------------------

**KS - Kimmsteine** (Druckfestigkeit 20 / Rohdichte 2.0)

<b>K 5 *</b> 498 x WS x 50	115	556,80	96	48	<b>1,72</b>
	150	576,00	80	40	<b>2,16</b>
	175	531,20	64	32	<b>2,59</b>
	200	461,60	48	24	<b>2,89</b>
	240	537,60	48	24	<b>3,35</b>

<b>K 7 *</b> 498 x WS x 70	115	787,00	96	48	<b>2,30</b>
	150	878,00	80	48	<b>2,88</b>
	175	761,00	64	32	<b>3,30</b>
	200	652,00	48	24	<b>3,66</b>
	240	777,00	48	24	<b>4,40</b>

<b>K 10 *</b> 498 x WS x 100	115	696,00	60	30	<b>2,72</b>
	150	720,00	50	25	<b>3,40</b>
	175	664,00	40	20	<b>3,98</b>
	200	570,00	30	15	<b>4,50</b>
	240	672,00	30	15	<b>5,34</b>

<b>K 12,5</b> 248 x WS x 125	115	1.070,00	160	40	<b>2,62</b>
	150	1.100,00	128	32	<b>3,40</b>
	175	980,00	96	24	<b>3,98</b>
	200	1.125,00	96	24	<b>4,66</b>
	240	1.350,00	96	24	<b>5,39</b>
	300	1.092,00	64	16	<b>6,07</b>
	365	1.370,00	64	16	<b>6,81</b>

<b>K 15</b> 498 x WS x 150	115	1064,00	140	35	<b>2,82</b>
	150	1064,00	112	28	<b>3,61</b>
	175	994,40	84	21	<b>4,24</b>
	200	857,00	72	18	<b>5,03</b>
	240	1335,60	84	21	<b>5,83</b>

**KS - ISO - Kimmsteine** (Druckfestigkeit 20 / Rohdichte 1.2)

<b>ISO</b> 498 x WS x 113	115	710,00	96	48	<b>16,50</b>
	150	615,00	64	32	<b>17,60</b>
	175	720,00	64	32	<b>19,38</b>
	240	745,00	48	24	<b>21,48</b>

Steinsorte und Formate	Steinmaße [mm]			Stein- gew.	Nenn- festigk.	Roh- dichten	Steine im Paket	<b>frei Bau (gebündelt)</b>
	Länge	Breite (Wandstärke)	Höhe					
				ca. kg	N/mm <sup>2</sup>	kg/dm <sup>3</sup>	gebündelt	

### KS - Planelemente

								[€ je m <sup>2</sup> ]	[€ je m <sup>3</sup> ]
<b>PE 115</b>	998	115	498 625	108,0 135,0	20	2,0	10 5	<b>17,48</b>	151,96
<b>PE 150</b>	998	150	498 625	140,5 175,6	20	2,0	8	<b>22,79</b>	151,96
<b>PE 175</b>	998	175	498 625	164,0 205,0	20	2,0	6	<b>26,59</b>	151,96
<b>PE 200</b>	998	200	498 625	187,5 234,4	20	2,0	6	<b>30,39</b>	151,96
<b>PE 240</b>	998	240	498 625	225,0 281,2	20	2,0	6	<b>36,47</b>	151,96
<b>PE 300</b>	998	300	498 625	281,0 351,2	20	2,0	4	<b>45,58</b>	151,96
<b>PE 365</b>	998	365	498	342,5	20	2,0	4	<b>55,47</b>	151,96

### KS - Quadro

								[€ je m <sup>2</sup> ]	[€ je m <sup>3</sup> ]
<b>Q 115</b>	498	115	498	53,9	20	2,0	20	<b>12,65</b>	110,04
<b>Q 150</b>	498	150	498	70,3	20	2,0	16	<b>16,50</b>	110,04
<b>Q 175</b>	498	175	498	82,0	20	2,0	12	<b>19,26</b>	110,04
<b>Q 200</b>	498	200	498	93,8	20	2,0	12	<b>22,00</b>	110,04
<b>Q 240</b>	498	240	498	112,5	20	2,0	12	<b>26,40</b>	110,04
<b>Q 300</b>	498	300	498	140,6	20	2,0	8	<b>33,01</b>	110,04
<b>Q 365</b>	498	365	498	171,1	20	2,0	8	<b>40,16</b>	110,04

Steinsorte und Formate	Stein- gew.	Nenn- festigk.	Roh- dichten	1	2	3	4	5	6	7	8	9	10
				[ EUR je 1.000 Stück ]									

### KS - Kleinformate

KS DF	2,6	20	2,0	19,00	24,00	29,00	33,00	36,00	39,00	48,00	51,00	54,00	59,00
KS NF	3,5	20	2,0	26,00	32,00	40,00	45,00	49,00	53,00	64,00	69,00	73,00	80,00
KSL 2 DF	4,5	12	1,6	34,00	42,00	52,00	59,00	64,00	69,00	84,00	90,00	96,00	104,00
KS 2 DF	5,2	12	1,8	38,00	47,00	59,00	67,00	73,00	79,00	95,00	102,00	109,00	118,00
KS 2 DF	5,2	20	1,8	38,00	47,00	59,00	67,00	73,00	79,00	95,00	102,00	109,00	118,00
KS 2 DF	5,8	20	2,0	42,00	52,00	65,00	73,00	80,00	87,00	105,00	113,00	120,00	130,00
KS 2 DF	5,9	28	1,8	49,00	60,00	74,00	84,00	92,00	100,00	121,00	129,00	138,00	150,00
KSL 3 DF	7,0	12	1,6	49,00	60,00	74,00	84,00	92,00	100,00	121,00	129,00	138,00	150,00
KS 3 DF	7,9	12	1,8	59,00	72,00	90,00	102,00	111,00	120,00	146,00	156,00	167,00	181,00
KS 3 DF	7,9	20	1,8	59,00	72,00	90,00	102,00	111,00	120,00	146,00	156,00	167,00	181,00
KS 3 DF	8,8	28	1,8	64,00	79,00	98,00	111,00	121,00	131,00	159,00	170,00	182,00	197,00

### KS - Plansteine mit Nut + Feder + Griffhilfe

KSL-R 4DF	9,7	12	1,6	70,00	87,00	108,00	122,00	133,00	144,00	175,00	188,00	200,00	217,00
KS R 4DF	11,4	12	1,8	83,00	102,00	127,00	143,00	157,00	170,00	205,00	220,00	235,00	255,00
KS R 4DF	13,5	20	2,0	100,00	123,00	153,00	174,00	189,00	205,00	249,00	266,00	284,00	309,00
KSL-R 8DF 115	21,6	12	1,6	158,00	195,00	243,00	275,00	300,00	325,00	394,00	422,00	450,00	489,00
KS R 8DF 115	25,9	12	1,8	190,00	234,00	291,00	330,00	360,00	390,00	473,00	506,00	540,00	586,00
KS R 8DF 115	28,0	20	2,0	211,00	260,00	324,00	367,00	400,00	433,00	525,00	563,00	600,00	651,00
KS R 5DF	17,6	20	2,0	132,00	162,00	202,00	229,00	250,00	271,00	328,00	352,00	375,00	407,00
KSL-R 6DF	13,5	12	1,4	99,00	122,00	152,00	172,00	188,00	203,00	246,00	264,00	281,00	305,00
KSL-R 6DF	14,8	12	1,6	109,00	134,00	167,00	190,00	207,00	224,00	272,00	291,00	310,00	337,00
KS R 6DF	17,5	12	1,8	127,00	156,00	194,00	220,00	240,00	260,00	315,00	338,00	360,00	391,00
KS R 6DF	20,5	20	2,0	151,00	186,00	231,00	262,00	286,00	310,00	375,00	402,00	429,00	465,00
KS R 7DF	23,0	20	2,0	167,00	205,00	255,00	289,00	316,00	342,00	414,00	444,00	474,00	514,00
KSL-R 8DF	18,5	12	1,4	138,00	169,00	211,00	239,00	261,00	283,00	342,00	367,00	391,00	425,00
KS R 8DF	24,0	12	1,8	176,00	216,00	270,00	306,00	333,00	361,00	438,00	469,00	500,00	543,00
KS R 8DF	28,0	20	2,0	211,00	260,00	324,00	367,00	400,00	433,00	525,00	563,00	600,00	651,00
KSL-R 10DF	23,0	12	1,4	170,00	209,00	260,00	295,00	321,00	348,00	422,00	452,00	482,00	523,00
KS R 10DF	30,0	12	1,8	226,00	278,00	347,00	393,00	429,00	464,00	563,00	603,00	643,00	698,00
KS R 10DF	35,0	20	2,0	264,00	325,00	405,00	458,00	500,00	542,00	656,00	703,00	750,00	814,00
KSL-R 12DF	28,2	12	1,4	207,00	254,00	317,00	359,00	391,00	424,00	514,00	550,00	587,00	637,00
KS R 12DF	35,5	12	1,8	264,00	325,00	405,00	458,00	500,00	542,00	656,00	703,00	750,00	814,00
KS R 12DF	42,8	20	2,0	317,00	390,00	485,00	550,00	600,00	650,00	788,00	844,00	900,00	977,00